

Safe Food Storage: The Refrigerator and Freezer

For best results, use packaging designed for refrigerator/freezer storage. This extends shelf life and protects food from damage, contamination, and deterioration.

- Use foil, plastic wrap, plastic bags, or airtight containers designed for refrigerating or freezing food. Moisture- and vapor-proof materials are best.
- Clean your refrigerator regularly to reduce food odors and cross contamination. Remove spoiled foods immediately so decay cannot pass to other foods.
- Refrigerator temperature between 34 to 40 degrees Fahrenheit is best. Perishable foods stored at temperatures above 40°F spoil rapidly and may allow pathogen growth. Check temperatures with a refrigerator thermometer.
- Keep your freezer clean and at 0°F or lower.
- Use foods quickly. Don't depend on maximum storage time. Label and date the package for easy identification.

BREADS, PASTRIE	S, AND CAKES		
Product	Refrigerator at 32-40°F	Freezer at 0°F	Comments
Unbaked yeast dough, rolls, and bread	2-3 days	I month	Longer storage causes yeast to become inactivated, and the gluten weakens.
Partially baked cinnamon rolls		2 months	
Baked quick breads		2 months	
Baked muffins		6-12 months	
Baked breads without preservatives	2-3 weeks	2-3 months	Refrigeration is recommended to prevent mold growth, but it will increase staling due to moisture reduction.
Unfrosted doughnuts		2-4 months	
Waffles		I month	
Unbaked fruit pies	I-2 days	2-4 months	
Baked fruit pies	2-3 days	6-8 months	
Pumpkin or chiffon pies	2-3 days	I-2 months	
Baked cookies		6-12 months	Most cookies can be stored at room temperature 2-3 weeks. Refrigerate high moisture cookies (i.e. custard-type bar cookies)
Freezer pie shells		12 months (unopened) 2 months (opened)	
Cookie dough		3 months	
Unbaked cakes (batter)		I month	Use double-acting baking powder for best results.
Frosted baked cakes		I month	
Unfrosted baked cakes		2-4 months	
Foam cakes (i.e. Angel Food)		6-12 months	
Fruit cakes		6-12 months	
Refrigerated biscuits, rolls, pastries, cookie dough	Expiration date on package label	Do not freeze	Store in refrigerator for best storage life.

DAIRY PRODUCTS	- REAL AND	SUBSTITUTES	
	Refrigerator		
Product	at 32-40°F	Freezer at 0°F	Comments
Butter	I-2 weeks	12 months	Wrap or cover tightly.
Margarine	4-6 months	12 months	Wrap or cover tightly.
Buttermilk	3-5 days	Do not freeze	Cover tightly. Remix before using. Check date on carton.
Cheese Cottage, ricotta Cream, Neufchatel Hard and wax-coated in large pieces; Cheddar, Edam, Gouda, Swiss, Brick Sliced Soft cream cheese Parmesan, Romano Processed (opened) Shredded cheese	5-7 days 2 weeks 2-3 months, unopened 2-3 weeks, opened 2 weeks 5-6 days, opened 6 months 3-4 weeks 3-4 weeks	4 weeks Do not freeze 6-8 months	Keep all cheese tightly packaged in moisture-resistant wrap. If outside of hard cheese gets moldy, cut away ½-I inch around the mold. Discard cheese with heavy mold. Many cheeses can be frozen but will become crumbly. Refer to "best when purchased by" dates for best quality. Refrigerate slices of processed cheese as well as loaves and jars of processed cheese and cheese food after opening. Refrigerate loaves and jars after opening. Most squeeze packages and aerosol cans don't need refrigeration, but check the label. Keep shredded cheese refrigerated. Always be aware of "best if used by" or "sell by" dates.
Dips Commercial Homemade	2 weeks 2 days		Keep tightly covered.
Milk Evaporated (opened) Fresh homogenized or reconstituted nonfat, dry	4-5 days 5 days	Freezing not recommended	Store in covered or capped containers. To help prevent spoilage, don't return unused milk to original containers. Follow "sell by" date on containers for best quality and safety.
Reconstituted evaporat- ed milk Sweetened, condensed (opened)	3-5 days 4-5 days	E dava	
Whole milk	5 days	5 days	V
Sour cream	2 weeks	Freezing not recommended	Keep covered.
Whipped topping Aerosol can Prepared from mix Frozen, premade	3 months 3 days 2-3 weeks	Freezing not recommended 14 months	Keep covered. May be refrozen four to five times if thawed in the refrigerator.
Yogurt	7-10 days	Freezing not recommended	Keep covered and refrigerated. Follow the "use by" date on the package, or up to two weeks after the "sell by" date. Yogurt may separate when frozen.

FRUITS AND JUICES					
	Product	Refrigerator at 32-40°F	Freezer at 0°F	Comments	
	Apples	I month	8-12 months	Discard bruised or decayed fruit. Don't wash before storing to prevent spoilage. Store in the crisper drawer or moisture-resistant bag or wrap.	
	Apricots	3-5 days	8-12 months		
	Avocados	5 days	8-12 months		

FRUITS AND JUIC	FRUITS AND JUICES				
Product	Refrigerator at 32-40°F	Freezer at 0°F	Comments		
Bananas			Refrigerate or freeze only when fully ripe. Skin will darken.		
Berries	2-3 days	8-12 months			
Canned fruits	2-4 days (opened)	2-3 months			
Cherries	2-3 days	8-12 months			
Citrus fruit	2 weeks	4-6 months			
Cranberries	I week	8-12 months			
Guavas	I-2 days	8-12 months			
Juices – canned, bottled, or reconstituted Pre-mixed, full-strength fruit juice Real lemon juice	6 days (diluted)	8 months	Thaw in the refrigerator. Keep fruit juice tightly covered. Do not store in cans after opening. Keep refrigerated. Do not use after the "use by" date on the package.		
Kiwis	6-8 days	4-6 months			
Mangos	Ripen at room temperature	8-12 months			
Melons	5 days	8-12 months	Wrap uncut cantaloupe and honeydew to prevent odor from spreading to other foods.		
Nectarines	5 days	8-12 months			
Papayas	Ripen at room temperature	8-12 months			
Peaches	2-3 days	8-12 months			
Pears	5 days	8-12 months			
Pineapples	5-7 days	4-6 months			
Plantains	Ripen at room temperature	8-12 months			
Plums	5 days	8-12 months			
Rhubarb	I week	8-12 months			
Frozen juice Concentrate Reconstituted	Do not refrigerate 6 days	2 years 6-12 months			

FRESH VEGETABL	ES		
Product	Refrigerator at 32-40°F	Freezer at 0°F	Comments
Artichokes	2-3 days		Freezes poorly
Asparagus	2-3 days	8-12 months	
Beans – green or wax	I-2 days	8-12 months	
Beets	2 weeks	8-12 months	
Broccoli	3-5 days	8-12 months	
Brussels sprouts	3-5 days	8-12 months	
Cabbage	I week	8-12 months	Keep in crisper or moisture-resistant wrap or bag.
Canned vegetables	I-4 days (opened)	2-3 months	
Carrots	2 weeks	8-12 months	
Cauliflower	I week	8-12 months	
Celery	I week	8-12 months	
Corn, in husks	I-2 days	8-12 months	Keep moist

FRESH VEGETABL	ES		
Product	Refrigerator at 32-40°F	Freezer at 0°F	Comments
Cucumbers	I week	8-12 months	
Eggplant	2-3 days	8-12 months	
Frozen vegetables	Do not refrigerate	8 months	Once prepared, store covered in the refrigerator up to two days.
Greens	3-5 days	8-12 months	
Kohlrabi	I week	8-12 months	
Lettuce, head Unwashed Washed, thoroughly	5-7 days 3-5 days		Store in moisture-resistant wrap, bag or lettuce keeper. Wrap and store away from other drained fruits and vegetables to prevent rusted spotting.
Lima beans	3-5 days	8-12 months	
Mushrooms	I-2 days	8-12 months	Do not wash before storing.
Onions, potatoes, sweet potatoes			Do not refrigerate.
Okra	3-5 days	8-12 months	
Parsley	2-3 days	3-4 months	
Peas Shelled Unshelled	3-5 days 3-5 days	8-12 months	Keep in the crisper or moisture-resistant wrap or bag.
Peppers	I week	8-12 months	
Radishes	2 weeks		Freeze poorly.
Shredded cabbage, leaf and bibb lettuce, salad greens	I-2 days		Keep in moisture-resistant wrap or bag.
Squash Summer Winter	3-5 days Store in a dry place	8-12 months 8-12 months	
Tomatillos	I week	8-12 months	
Tomatoes (ripe)	I-2 days	8-12 months	Ripen tomatoes at room temperature away from direct sunlight; then refrigerate

FRESH UNCOOKED MEAT AND POULTRY

Refrigerate fresh meat and poultry in the original wrapping from the store. To freeze, place the packaged meat in another freezer-safe container for better quality. Do not wash meat and poultry before preparation to prevent cross contamination.

reezer-sale container for better quality. Bo not wash meat and pountly before preparation to prevent cross containingtion.					
Product	Refrigerator at 32-40°F	Freezer at 0°F	Comments		
Red Meats					
Chops	3-5 days	3-4 months			
Ground meat	I-2 days	3-4 months			
Roasts	3-5 days	6-12 months			
Steaks	3-5 days	6-12 months			
Stew meat	I-2 days	3-4 months			
Bratwurst, precooked	5-7 days	2-3 months			
Bratwurst, fresh	2-3 days	2-3 months			
Variety meats (liver, heart, etc.)	I-2 days	I-2 months			
Poultry					
Chicken or turkey, whole	I-2 days	I year			
Chicken or turkey, pieces	I-2 days	9 months			
Duck or goose, whole	I-2 days	6 months			
Giblets	I-2 days	3-4 months			
Ground	I-2 days	6 months			

COOKED MEAT AND POULTRY Refrigerator at 32-40°F **Product** Freezer at 0°F **Comments** Meat leftovers Cooked meat and meat dishes 3-4 days 2-3 months Keep covered. Gravy and meat broth I-2 days 2-3 months Keep covered. Poultry, leftovers 3-4 days 4 months Fried chicken Cooked poultry dishes 3-4 days 4-6 months Pieces, plain 3-4 days I month I-2 days I-3 months Chicken nuggets, patties Pieces covered with broth, gravy I-2 days 6 months Separate meat and liquids and place in shallow containers for quick cooling.

FISH AND SHELLFISH

Refrigerate fresh fish and shellfish in the original wrapping from the store. To freeze, place the packaged fish and shellfish in another freezer-safe container for better quality. Do not wash fish and shellfish before preparation to prevent cross contamination.

Į	COntamination.				
	Product	Refrigerator at 32-40°F (Fresh: Never frozen or previously frozen and home refrigerated)	Freezer at 0°F (Purchased fresh and home frozen)	Freezer at 0°F (Purchased commercially frozen for freezer storage)	
	Fish fillets/steaks – Lean				
	Cod, flounder	36 hours	6-8 months	10-12 months	
1	Haddock, halibut	36 hours	6-8 months 4 months	10-12 months 8-9 months	
	Pollock, ocean perch Sea trout, rockfish	36 hours	4 months	8-9 months	
	· · · · · · · · · · · · · · · · · · ·	36 flours	4 mondis	8-7 IIIOIIUIS	
	Fish fillets/steaks – fatty	36 hours		6-8 months	
	Mullet, smelt Salmon (cleaned)	36 hours		7-9 months	
	,	36 Hours		7-9 IIIOIIUIS	
	Shellfish Dungeness crab	E dove	6 months	6 months	
	Snow crab	5 days 5 days	6 months	6 months	
	Blue crabmeat (fresh)	5-7 days	4 months	o mondis	
	Blue crabmeat	60 days	1 monens		
	(pasteurized)	55 -275			
	Cocktail claws	5 days	4 months		
	King crab	7 days	9 months	12 months	
X	Surimi seafoods	2 weeks	9 months	10-12 months	
	Shrimp	4 days	5 months	9 months	
	Oysters, shucked	4-7 days			
	Clams, shucked	5 days			
	Lobster, live	I-2 days			
	Lobster, tail meat	4-5 days	6 months	8 months	
	Breaded seafoods				
	Shrimp		8 months	12 months	
	Scallops Fight artists		10 months	16 months	
X	Fish sticks Portions			18 months 18 months	
				16 IIIOIIUIS	
	Smoked fish	3.4 days	2 months		
	Herring Salmon, Whitefish	3-4 days 5-8 days	2 months		
	Samion, vynitensn	3-0 days	ZITIOTILIS		

CURED AND SMOKED M	EATS		
Product	Refrigerator at 32-40°F	Freezer at 0°F	Comments
Bacon	7 days	I month	Keep wrapped. Store in coldest part
Bologna, liverwurst	4-6 days		of refrigerator or in meat keeper.
Dried beef	10-12 days		Times are for opened packages. Follow dates on packages.
Hotdogs and lunch meats Hotdogs, opened Hotdogs, unopened Lunch meats, opened Lunch meats, unopened Sausage, raw Smoked breakfast links, patties Hard sausage – pepperoni, jerky sticks	I week 2 weeks 3-5 days 2 weeks I-2 days 7 days 2-3 weeks	I-2 months	Freeze in freezer wrap.
Ham, corned beef Corned beef, in pouch with juices Ham, canned (unopened – label says keep refrigerated) Ham, fully cooked, whole Ham, fully cooked, half Ham, fully cooked, slices Liver sausage	5-7 days 6-12 weeks 7 days 3-5 days 3-4 days 4-6 days	I month I-2 months I-2 months I-2 months	Drained, wrapped Store ham in refrigerator unless label indicates refrigeration is not needed. Once canned ham is opened, use within 3 to 5 days.

BABY FOOD			
Product	Refrigerator at 32-40°F	Freezer at 0°F	Comments
Liquids Expressed breast milk Formula	24 hours 2 days	3-6 months Not recommended	For shelf storage of unopened cans of formula, observe the "use by" dates printed on containers. Store evaporated milk up to 12 months. Heat liquid under warm running water, not the microwave oven. Gently swirl the bottle before testing the temperature on the top of your hand. Discard any unused milk left in a bottle.
Solids (opened or freshly made) Strained fruits and vegetables Strained meats and eggs Meat/vegetable combinations Homemade baby foods	2-3 days I day I-2 days I-2 days	6-8 months 1-2 months 1-2 months 3-4 months	Observe the "use by" date for shelf storage of unopened jars. Check to see that the safety button in the lid is down. If the jar does not "pop" when opened or is not sealed safely, do not use. Do not heat meats, eggs or jars of food in the microwave. Transfer food from jars to bowls or a heating dish. For 4 ounces of food, microwave on high for 15 seconds; stir and let stand 30 seconds. Stir and test the temperature of the foods before feeding the baby. Don't feed the baby from the jar.

WILD GAME					
Product	Refrigerator at 32-40°F (Thawed: Never frozen or previously frozen and home refrigerated)	Freezer at 0°F (Purchased fresh and home frozen)	Freezer at 0°F (Purchased commercially frozen for freezer storage)		
Venison	3-5 days	3-4 months	6-12 months		
Rabbit, squirrel	I-2 days	12 months			
Wild duck, pheasant, goose (whole)	I-2 days	6 months			

	OTHER FOODS			
	Product	Refrigerator at 32-40°F	Freezer at 0°F	Comments
	Canned Goods Puddings, custard (opened) Gravy and broth Meats Sauce, tomato-based	I-2 days 2 days 2-3 days 5 days	2-3 months 2-3 months	Transfer food to glass or plastic containers after opening. Keep covered. Texture will be softer after freezing, but is acceptable in sauce, soups, or stews. Acidic foods should be transferred to glass or plastic containers to avoid metallic taste if stored for more than one or two days.
X	Miscellaneous Soups, stews Sandwiches Casseroles Leftover cooked food Ground spices Candies Fats, oils, salad dressings (opened) Mayonnaise (opened) TV dinners, frozen casseroles	2-3 days 2-3 days 1-2 days See other charts 6 months Not necessary Several months 2-3 months 2 days	4-6 months I month I month I month 6-12 months 3-6 months	Can be stored in cupboard. Keep frozen until ready to serve.
	Deli or vacuum-packed products Store-prepared or homemade salads (egg, chicken, tuna, ham, macaroni) Pre-stuffed pork and lamb chops, chicken breasts stuffed with dressing Store-cooked convenience meals Commercial brand vacuum-packed dinners with USDA seal, unopened	3-5 days I day I-2 days 2 weeks		Freezing not recommended for any of these products.

	EGGS		
X	Product	Refrigerator at 32-40°F	Freezer at 0°F
X	Raw eggs in shell	3 to 5 weeks	Do not freeze. Instead, beat yolks and whites together; then freeze.
	Raw egg whites	2 to 4 days	12 months
X	Raw egg yolks	2 to 4 days	Yolks do not freeze well.
	Raw egg accidentally frozen in shell	Use immediately after thawing.	Keep frozen; then refrigerate to thaw.
X	Hard-cooked eggs	I week	Do not freeze.
	Egg substitutes, liquid Unopened Opened	IO days 3 days	I2 months Do not freeze.

EGGS	GGS		
Product	Refrigerator at 32-40°F	Freezer at 0°F	
Egg substitutes, frozen Unopened Opened	After thawing, 3 days or refer to "Use-By" date.	12 months Do not freeze.	
Casseroles with eggs	3 to 4 days	After baking, 2 to 3 months.	
Eggnog Commercial Homemade	3 to 5 days 2 to 4 days	6 months Do not freeze.	
Pies Pumpkin or pecan Custard and chiffon	3 to 4 days 3 to 4 days	After baking, I to 2 months. Do not freeze.	
Quiche with filling	3 to 4 days	After baking, 1 to 2 months.	

Egg information from http://www.foodsafety.gov/keep/charts/eggstorage.html

What do packaging dates mean?

- "Sell by" means the store should sell the product by the printed date, but the consumer still can eat the product safely after that date.
- "Best if used by" does not mean the consumer should use the product by the date listed for safety reasons, but for best quality and flavor.
- "Use by" is the last date recommended for use at peak quality. You likely will see a marked deterioration in product quality (flavor, appearance, texture) after that date. Note: Do not use infant formula and baby food after the "use by" date.
- "Closed or coded dates" are packing numbers used by the manufacturer. Food can be recalled, using these packaging numbers, if a problem occurs.

Adapted from materials prepared by USDA Food Safety and Inspection Service, Foodsafety.gov North Dakota State University Extension

Reviewed by Londa Nwadike, Ph.D., Extension Specialist Food Safety
Food Science Institute

Revised by Karen Blakeslee, M.S., Extension Associate Department of Animal Sciences and Industry

From original by Karen P. Penner, Ph.D., Emeritus Professor Food Science Department of Animal Sciences and Industry



Publications from Kansas State University are available at: www.ksre.ksu.edu

Publications are reviewed or revised annually by appropriate faculty to reflect current research and practice. Date shown is that of publication or last revision. Contents of this publication may be freely reproduced for educational purposes. All other rights reserved. In each case, credit the authors, Safe Food Storage: The Refrigerator and Freezer, Kansas State University, April 2014.

Kansas State University Agricultural Experiment Station and Cooperative Extension Service

K-State Research and Extension is an equal opportunity provider and employer. Issued in furtherance of Cooperative Extension Work, Acts of May 8 and June 30, 1914, as amended. Kansas State University, County Extension Councils, Extension Districts, and United States Department of Agriculture Cooperating, John D. Floros, Director.

MF3130 April 2014