

# Using Breast Milk Safely

Extension Consumer Food Safety Fact Sheet

Prepared by Londa Nwadike, Ph.D., Kansas State University/University of Missouri Extension Food Safety Specialist  
Reviewed by:

- Sandy Procter, Ph.D., R.D., L.D., State Nutrition Specialist, K-State Research and Extension
- Karen Sherbondy, M.Ed., R.D., L.D., Extension Associate, University of Missouri Extension
- Diana Hirt, M.Ed., Extension Associate, University of Missouri Extension

**Dr. Londa Nwadike**  
22201 W. Innovation Drive  
Olathe, KS 66061  
913-307-7391  
lnwadike@ksu.edu

105 East 5th St., Suite 200  
Kansas City, MO 64106  
816-482-5860  
nwadikel@missouri.edu

Breastfeeding has many benefits for both mother and child. However, for various reasons, breastfeeding mothers cannot always breastfeed their baby directly. Then it is important for nursing mothers and caretakers of the breastfed infants to use safe handling and storage practices to maintain and ensure the high quality of expressed breast milk and the health of the baby.



	Best Practice for Safety	Practices to AVOID
<b>Preparing to express</b>	<ul style="list-style-type: none"> <li>• Always wash hands before expressing or handling breast milk.</li> <li>• Ensure that bottles and equipment are clean.</li> </ul>	<ul style="list-style-type: none"> <li>• Do <b>NOT</b> express milk in an area that is not clean.</li> </ul>
<b>Storage containers</b>	<ul style="list-style-type: none"> <li>• Use clean containers: screw-cap bottles, glass, or hard (BPA-free) plastic cups with tight caps, bags designed for breast milk storage (use bags only for short term storage if possible).</li> </ul>	<ul style="list-style-type: none"> <li>• Do <b>NOT</b> use ordinary plastic storage bags, formula bottle bags/liners, plastic bottles containing BPA.</li> </ul>
<b>Labeling the containers</b>	<ul style="list-style-type: none"> <li>• Label with date expressed, child's name (if bringing to a childcare facility).</li> </ul>	<ul style="list-style-type: none"> <li>• Do <b>NOT</b> use a marker or label that can easily come off in water.</li> </ul>
<b>Adding freshly expressed milk to stored milk</b>	<ul style="list-style-type: none"> <li>• Completely cool fresh milk before adding to previously chilled or thawed milk.</li> </ul>	<ul style="list-style-type: none"> <li>• Do <b>NOT</b> add warm breast milk to frozen breast milk.</li> <li>• Do <b>NOT</b> fill containers to the brim; breast milk expands on freezing.</li> </ul>
<b>Thawing frozen breast milk</b>	<ul style="list-style-type: none"> <li>• Thaw oldest milk first.</li> <li>• Thaw in refrigerator (overnight) or swirl in a bowl of warm water or under warm running water.</li> <li>• Use within 24 hours of thawing.</li> </ul>	<ul style="list-style-type: none"> <li>• Do <b>NOT</b> thaw at room temperature</li> <li>• Do <b>NOT</b> use a microwave or rapidly boil on the stove, which produces uneven heating and can scald the baby or reduce the milk's nutrients.</li> <li>• Do <b>NOT</b> re-freeze breast milk once it has been thawed.</li> </ul>

	Best Practice for Safety	Practices to AVOID
<b>Before feeding breast milk</b>	<ul style="list-style-type: none"> <li>Gently swirl milk to evenly distribute the cream that rises to the top during storage.</li> <li>Milk can be fed cold or warmed to body temperature.</li> </ul>	<ul style="list-style-type: none"> <li>Do <b>NOT</b> vigorously shake the container or stir the milk.</li> </ul>
<b>After feeding</b>	<ul style="list-style-type: none"> <li>Discard any remaining milk from that bottle.</li> <li>Carefully wash bottles and pumping equipment with soap and water and let air dry.</li> </ul>	<ul style="list-style-type: none"> <li>Do <b>NOT</b> save milk from a used bottle for another feeding.</li> </ul>



### How long can I safely store breast milk?

Although it is always best to use expressed breast milk as soon as possible, an easy-to-remember general guide that many lactation consultants teach for healthy, full-term infants is 5-5-5. This guide fits within the more specific ranges included in the table below.

- 5 hours at room temperature
- 5 days in the refrigerator
- 5 months in the freezer

Location	Temperature	Duration	Comments
Countertop	Room temp (up to 77°F)	6 to 8 hours	Be sure containers are covered.
Insulated cooler bag	5 to 39°F	24 hours	Keep ice packs in contact with milk container, limit opening bag.
Refrigerator	39°F	5 days	Store milk in the back of the main body of the refrigerator where temperatures are coldest.
Freezer compartment of a refrigerator	0°F	3 to 6 months	<ul style="list-style-type: none"> <li>Note that if the freezer compartment is within the refrigerator (using the same main door), milk can only be stored 2 weeks.</li> <li>Store milk toward the back of the freezer, where the temperature stays colder.</li> </ul>
Chest or upright freezer	-4°F	6 to 12 months	

### References and other useful resources:

- Office of Women's Health, US Department of Health and Human Services. Breastfeeding. August 1, 2010. [www.womenshealth.gov/breastfeeding/pumping-and-milk-storage/index.html](http://www.womenshealth.gov/breastfeeding/pumping-and-milk-storage/index.html)
- U.S. Centers for Disease Control. Breastfeeding. Proper Handling and Storage of Human Milk. March 4, 2010. [www.cdc.gov/breastfeeding/recommendations/handling\\_breastmilk.htm](http://www.cdc.gov/breastfeeding/recommendations/handling_breastmilk.htm)
- Mayo Clinic. Breast milk storage: Do's and don'ts. April 6, 2012. [www.mayoclinic.org/healthy-living/infant-and-toddler-health/in-depth/breast-milk-storage/art-20046350](http://www.mayoclinic.org/healthy-living/infant-and-toddler-health/in-depth/breast-milk-storage/art-20046350)
- Feeding your newborn: <http://missourifamilies.org/features/nutritionarticles/nut168.htm>
- Your doctor or health care provider should also have good advice and information available.



Publications from Kansas State University are available at: [www.ksre.ksu.edu](http://www.ksre.ksu.edu)

Publications are reviewed or revised annually by appropriate faculty to reflect current research and practice. Date shown is that of publication or last revision. Contents of this publication may be freely reproduced for educational purposes. All other rights reserved. In each case, credit Londa Nwadike, *Using Breast Milk Safely*, Kansas State University, April 2015.



University of Missouri, Lincoln University, U.S. Department of Agriculture, and Local Extension Councils Cooperating. MU Extension is an equal opportunity/ADA institution.

**Kansas State University Agricultural Experiment Station and Cooperative Extension Service**  
**MF3200**

**April 2015**

Kansas State University, County Extension Councils, Extension Districts, and U.S. Department of Agriculture cooperating. K-State Research and Extension is an equal opportunity provider and employer. John D. Floros, Director.